

| | | |
|--|----------------|-----------------|
| PRELIMINARY AMENDMENT AND RESPONSE WITH REGARD TO SEQUENCE REQUIREMENTS | Application # | 10/553,225 |
| | Confirmation # | 8963 |
| | Filing Date | 14 October 2005 |
| | First Inventor | BROWN et al |
| | Art Unit | |
| | Examiner | |
| | Docket # | P07921US01/BAS |

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450


S I R:

In response to the Notification of Missing Requirements dated July 26, 2006, please amend the application as follows:

- After page 46, please substitute the **attached sequence listing** for the one originally filed.
- A **Computer Readable Form** of the sequence listing is also provided.
- **Amendments to the Specification** are reflected in the replacement paragraph(s) provided herewith in **Attachment A**.
- **Remarks** and **Statement** are provided herewith in **Attachment B**.

Applicants submit that the present application is now in compliance with sequence listing requirements, and examination and allowance of the claims is thus respectfully requested.

Respectfully submitted,



By: B. Aaron Schulman
Reg. No.: 31,877

Date: 13 September 2006

STITES & HARBISON PLLC • 1199 North Fairfax St. • Suite 900 • Alexandria, VA 22314